

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 30]

NEW DELHI, SATURDAY, AUGUST 18, 1956

-0-

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st July, 1956

CHOLERA							CHOLERA								
C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) & PART (C)								Assam—contd.							
Ajmer								(Estd. mid-year pop. 9,817 thousands).							
TOTAL	Total for w/e 14-7-56	2	1	4	2	
(Estd. mid-year pop. 752 thousands).								Total for w/e 7-7-56	12	6	7	1	
Total for w/e 14-7-56.	7-yearly mean for the week	1	1	1	
Total for w/e 7-7-56.	Bhopal							
7-yearly mean for the week	TOTAL	3
Andhra								(Estd. mid-year pop. 867 thousands).							
Srikakulam	.	.	3	2	3	1	..	Total for w/e 14-7-56	20	6	
Visakhapatnam	6	4	..	Total for w/e 7-7-56	13	3	
Godavari East	21	3	..	7-yearly mean for the week	
Godavari West	11	2	..	Bihar							
Krishna	18	3	..	Patna	.	.	320	87	12	2	..
Guntur	46	10	..	Gaya	.	.	53	24
Nellore	14	4	..	Shahabad	.	.	60	24
Kurnool	1	..	Saran	.	.	39	8
Cuddapah	2	Muzaffarpur	.	.	61	21
Chittoor	13	2	..	Darbhanga	5	1	..
TOTAL	.	.	3	2	134	30	..	Monghyr	.	.	3	1
(Estd. mid-year pop. 21,238 thousands).								Bhagalpur	.	.	20	8
Total for w/e 14-7-56.	2	2	225	50	Santal Parganas	.	.	1	1
Total for w/e 7-7-56	171	51	Hazaribagh	.	.	10	4
7-yearly mean for the week	566	243	141	26	Manbhum	.	.	34	12	6	2	..
Assam								Palamau	3	1	..
TOTAL	TOTAL	.	.	601	190	26	6	..

Explanation of Symbols used :—C.—Cases; D.—Deaths; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st July, 1956— *contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C. D. C. D. C. D.							C. D. C. D. C. D.						
Bihar— <i>contd.</i>							Delhi— <i>contd.</i>						
(Estd. mid-year pop. 42,198 thousands.)							(Estd. mid-year pop. 1,744 thousands.)						
Total for w/e 14-7-56	484	143	28	3	Total for w/e 14-7-56	2	1
Total for w/e 7-7-56	309	105	16	6	Total for w/e 7-7-56	3
7-yearly mean for the week	395	161	34	10	7-yearly mean for the week	1
Bombay							Himachal Pradesh						
Greater Bombay	3	1	..	"N. R."						
Ahmedabad	1	2	..	Madhya Pradesh						
Surat	7	Chanda	15	4
Ahmednagar	..	2	1	Chhindwara	4
West Khandesh	5	Bhandara	29	2
Nasik	1	Jabalpur
Sholapur	..	2	1	1	Sagar	6	3
Bijapur	..	1	1	Mandla	3
Dharwar	1	Hoshangabad	2
Kolhapur	..	1	Balaghat	11	4
Baroda	1	1	..	Raipur	..	30	27	3
Banaskantha	3	Bilaspur	..	178	115
TOTAL	6	3	23	4	Durg	..	84	38	3	1	..
(Estd. mid-year pop. 39,569 thousands.)							Akola	..	1	..	14	3	..
Total for w/e 14-7-56	48	15	Buldana	22	3
Total for w/e 7-7-56	7	2	28	5	TOTAL	293	180	117	20
7-yearly mean for the week	140	47	77	12	(Estd. mid-year pop. 22,109 thousands.)						
Coorg							Total for w/e 14-7-56	290	144	111	13
TOTAL	Total for w/e 7-7-56	305	154	187	20
(Estd. mid-year pop. 262 thousands.)							7-yearly mean for the week	130	56	62	12
Total for w/e 14-7-56	Madras						
Total for w/e 7-7-56	"N. R."						
7-yearly mean for the week	Manipur						
Delhi							TOTAL
Delhi Notified Area	3	(Estd. mid-year pop. 613 thousands.)						
TOTAL	3	Total for w/e 14-7-56
							Total for w/e 7-7-56

Explanation of Symbols used :— C. = Cases ; D. = Deaths ; .. = Nil ; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st July, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
		C.	D.	C.	D.	C.			C.	D.	C.	D.	C.
Orissa							Uttar Pradesh— <i>contd.</i>						
Cuttack	. .	114	64	(Estd. mid-year pop. 66,780 thousands)						
Puri	. .	8	1	Total for w/e 14-7-56	32	11	15	19
Ganjam	. .	27	23	Total for w/e 7-7-56	22	16	24	9
Bolangir Patna	1	7-yearly mean for the week	106	57	30	13
TOTAL	. .	149	88	1							
(Estd. mid-year pop. 15,114 thousands.)							Vindhya Pradesh						
Total for w/e 14-7-56	214	81	16	4	"N.R."						
Total for w/e 7-7-56	146	68	32	5	West Bengal						
7-yearly mean for the week	79	35	38	15	Burdwan	. .	12	4	3
							Birbhum	. .	34	19
Punjab (I)							Bankura	. .	71	43
Gurdaspur	2	1	..	Midnapur	. .	8	3	..	1	..
TOTAL	2	1	..	Hooghly	. .	8	5
(Estd. mid-year pop. 12,641 thousands.)							Howrah	. .	25	7	3	2	..
Total for w/e 14-7-56	3	1	24-Parganas	. .	13	4	14	2	..
Total for w/e 7-7-56	4	1	Calcutta		15	6	5	4	..
7-yearly mean for the week	2	1	7	4	Murshidabad	. .	1	1	7	3	..
							Malda	6
Pondicherry							TOTAL	. .	187	92	38	12	..
TOTAL	29	26	..	(Estd. mid-year pop. 26,396 thousands.)						
Tripura							Total for w/e 14-7-56	191	77	39	16
TOTAL	Total for w/e 7-7-56	212	88	39	16
(Estd. mid-year pop. 706 thousands.)							7-yearly mean for the week	257	106	28	16
Total for w/e 14-7-56	3	2	Grand Total for States Parts (A) & (C) (excluding Himachal Pradesh, Madras and Vindhya Pradesh)						
Total for w/e 7-7-56	14	2	1287	580	381	105
Uttar Pradesh							Corresponding (Estd. mid-year pop. 260,806 thousands.)						
Allahabad	1	Corresponding Total for w/e 14-7-56	1218	461	531	140
Budaun	. .	7	7	Corresponding Total for w/e 7-7-56	1013	439	580	207
Kanpur	1	Corresponding 7-yearly mean for the week	1676	707	419	108
Deoria	. .	7	5							
Ghazipur	2	1	..	STATES PART (B)						
Hardoi	1	Hyderabad						
Jhansi	1	"N. R."						
Kheri	. .	2	2	1	Jammu and Kashmir						
Mainpuri	2	"N. R."						
Pratapgarh	. .	6	2	Madhya Bharat						
Rae Bareilly	. .	10	6	"N. R."						
Unnao Distt.	. .	7	3							
Tehri Garhwal	1							
TOTAL	. .	39	25	8	3	..							

Explanation of symbols used : C=Cases ; D=Deaths ; ..=Nil ; "N. R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 21st July, 1956—*concl'd.*

		CHOLERA		SMALLPOX		PLAQUE	
—		C.	D.	C.	D.	C.	D.

Mysore

Kolar 6 1

TOTAL 6 1

Patiala and East Punjab States Union

TOTAL

Rajasthan

"N. R."

Saurashtra

TOTAL

Travancore-Cochin

TOTAL 8 4

Grand Total for States
Part (B) 14 5

Grand Total for States
Parts (A), (B) and (C) 1287 580 395 110

		CHOLERA		SMALLPOX		PLAQUE	
—		C.	D.	C.	D.	C.	D.

ARREAR INFORMATION**Rajasthan**

w/e 7-7-56

TOTAL 9

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns)

Place	Period	Cases	death
Punjab (I)	1—15th June, 56	7	(Paretic)
-do-	16—30th June, 56	10	(Paretic)
-do-	1—15th July, 56	8	(Paretic)
Greater Bombay	8—21st July, 56	5	1

Explanation of symbols used: C.—Cases; D.—Deaths; ..—NIL; "N.R."—Information not received.

NEW DELHI-2 (INDIA);

The 13th August 1956

K. MITRA,

for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4½ per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 18,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B	B.R.*	C	S	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and B)													
Ajmer													
Ajmer . . .	223	77	18.0	5	..	2	..	23	5.4	5
Beawar . . .	59	20	17.6	4	..	5	..	10	8.8	2
TOTAL . . .	282	97	17.9	9	..	7	..	33	6.1	7
Andhra													
Adoni . . .	63	43	35.5	1	11	9.1	..
Anantpur . . .	38	1	1.4	1	2	5	6.8	1
Anakapalli†													
Bhimavaram . . .	36	39	56.3	1	1	2	..	5	7.2	1
Chirala . . .	43	25	30.2	1	5	6.0	3
Chittoor . . .	45	27	31.2	1	1	1	..	8	9.2	2
Cuddapah . . .	42	21	26.0	3	1	7	8.7	
Eluru . . .	99	33	17.3	..	2	..	5	1	2	1	22	11.6	4
Gudivada . . .	36	16	23.1	4	5.8	1
Guntur†													
Guntakal . . .	37	18	25.3	1	..	3	..	8	11.2	..
Kakinada . . .	113	25	11.5	15	6.9	4
Kurnool . . .	68	70	53.6	1	2	2	17	13.0	8
Masulipatnam . . .	88	57	33.7	..	1	..	2	1	2	..	26	15.4	3
Nandyal . . .	37	20	28.1	..	5	..	1	1	2	..	12	16.9	6
Nellore . . .	95	79	43.2	1	3	7	..	28	15.3	12
Proddatur . . .	42	25	31.0	1	..	1	1	8	9.9	3
Rajahmundry . . .	122	37	15.8	7	3	1	..	29	12.4	5
Tenali . . .	67	48	37.2	4	..	10	7.8	4
Vijayvada . . .	201	127	33.0	6	2	5	..	44	11.4	16
Visakhapatnam . . .	128	45	18.3	..	4	..	6	1	7	..	36	14.6	6
Vizianagaram . . .	75	37	25.6	4	1	2	..	19	13.2	..
TOTAL . . .	1,475	793	28.0	..	12	..	40	18	42		319	11.2	79
Assam													
Shillong†													
Guwahati . . .	51	8	8.2	9	3	..	1	20	20.4	..
Dibrugarh . . .	46	4	4.5
Silchar . . .	43	40	48.4	2	2	10	12.1	1
TOTAL . . .	140	52	19.3	11	5	..	1	30	11.1	1
Bhopal													
Bhopal . . .	116	40	17.9	1	..	2	0.9	
Bihar													
Arrah . . .	70	7	5.2	6	11	8.2	..
Bihar . . .	63	13	9.9	4	2	13	7	5.4	..
Bettiah†													
Bhagalpur . . .	126	30	12.4	5	22	9.1	..
Chapra . . .	69	35	26.4	1	1	..	11	8.3	..
Darbhanga . . .	93	17	9.5	1	4	11	6.2	..
Dhanbad . . .	41	13	16.5	1	..	5	6.3	..
Dinapur . . .	44	6	7.1	..	5	2	..	2	11	13.0	..
Gaya . . .	149	19	6.6	27	4	10	62	21.6	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information; "N. R."—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956—contd.

Town	Mid year Popn. Est. (000)	Deaths from :—										Total	D.R.	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bihar—Contd.														
Hazaribagh	39	9	12.0	6	8.0
Jamshampur†	246	129	27.3	2	..	9	1.9	1	1
Katihar	51
Monghyr†														
Muzaffarpur†														
Patna	330	215	33.9	10	13	8	2	..	72	11.4
Purulia	47	8	8.9	1	2	2.2
Ranchi	130	15	6.0	4	7	2.8	2	2
TOTAL	1,503	516	17.9	20	65	18	14	3	236	8.2	3	3
Bombay														
Ahmedabad	889	567	33.2	..	2	..	16	16	54	..	286	16.7	97	97
Ahmednagar	88	60	35.4	1	3	3	..	22	13.0	4	4
Amalner	50	26	27.0	10	..	2	..	17	17.7	3	3
Bagalkot	36	33	47.7	7	..	1	..	15	21.7	2	2
Baroda	242	146	31.3	22	7	8	1	85	18.3	27	27
Barai	46	30	33.9	8	1	2	..	21	23.7	5	5
Belgaum	110	105	49.6	4	2	6	..	39	18.4	14	14
Bhusawal	62	59	49.5	9	1	6	..	23	19.3	4	4
Bijapur	75	43	29.8	6	..	3	..	16	11.0
Broach†														
Cambay	41	31	39.3	4	..	4	20	25.4	10	10
Chalisgaon	35	26	38.6	3	7	10.4
Dharwar	76	43	29.4	1	1	15	10.3	2	2
Dhulia	89	44	25.7	8	2	19	11.1	3	3
Gadag-Betegeri	71	52	38.1	6	1	5	2	24	17.6
Godra	40	30	39.0	8	12	15.6	6	6
Greater Bombay	3,449	1,534	23.1	..	1	..	5	47	125	..	657	9.9	186	186
Hubli	148	83	29.2	1	..	9	3.2	1	1
Jalgaon	79	19	12.5	9	1	3	..	20	13.2	3	3
Kalyan	73	29	20.7	1	..	1	..	7	5.0	1	1
Kolhapur	159	104	34.0	1	2	4	..	36	11.8	11	11
Malegaon	63	34	28.1	11	..	1	..	14	11.6	3	3
Miraj	44	23	27.2	10	11.8	2	2
Nadiad	71	58	42.5	7	18	13.2	4	4
Nandurbar	35	20	29.7	1	2	1	2	16	23.8	6	6
Nasik	119	78	34.1	1	3	5	..	23	10.1	5	5
Nayasari	50	31	32.2	..	1	..	4	..	1	..	9	9.4	1	1
Pandharpur	44	37	43.7	5	4	9	..	23	27.2	6	6
Patan	47	47	52.0	3	..	2	4	13	14.4	4	4
Poona	607	247	21.2	1	4	18	1	102	8.7	26	26
Sangli	58	23	20.6	3	1	1	..	11	9.9	3	3
Satara	40	27	35.1	2	..	8	10.4	1	1
Sholapur	299	215	37.4	15	7	24	..	93	16.2	24	24
Surat	250	197	41.0	18	6	16	..	138	28.7	46	46
Thana	64	31	26.4	3	14	11.9	1	1
TOTAL	7,646	4,132	28.1	..	4	..	190	114	305	15	1,842	12.5	511	511
Delhi State														
Delhi City	1,124	570	26.4	56	9	16	2	144	6.7	43	43
New Delhi	374	267	37.1	1	2	3	..	70	9.7	16	16
N.A.C. Civil Station, Delhi	117	75	33.3	..	3	..	4	1	3	1	20	8.8	8	8
Delhi Cantt.	50	25	26.0
Delhi-Shahdara	53	43	42.2	5	1	1	..	10	9.8	1	1
TOTAL	1,718	980	29.7	..	3	..	66	13	23	3	244	7.4	68	68

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rates; I. D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956—*contd.*

Town	Mid-year Popn-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.†	D.D.	R.D.	M.D.	Total			
Madhya Pradesh														
Achalpur .	38	49	67.0	9	1	14	19.1	4	
Akola .	104	86	43.0	8	2	2	..	23	11.5	7	
Amravati†														
Bilaspur†														
Burhanpur .	79	67	44.9	4	2	15	9.9	..	
Chanda .	43	39	47.2	2	2	1	..	12	14.5	4	
Chindwar†														
Damoh†														
Gondia†														
Itarsi .	30	21	36.4	2	5	8.7	3	
Hingaghat†														
Jabalpur†														
Khandwa .	59	26	22.9	6	13	11.4	..	
Khangaon†														
Kamptec .	36	34	49.0	2	11	15.9	..	
Murwar†														
Nagpur .	528	142	14.0	..	4	..	18	8	7	4	85	8.4	6	
Sagar .	75	24	16.6	3	..	2	..	10	6.9	..	
Raipur†														
Raigarh†														
Wardha†														
Yeotmal .	41	25	31.7	5	1	14	17.8	7	
TOTAL .	1,033	513	25.8	..	4	..	59	16	12	4	202	10.2	31	
Madras														
Ambur .	44	33	39.0	4	2.4	..	
Aruppukottai .	56	28	26.0	4	3	2	..	18	16.7	4	
Bodinayakanpur†														
Cannanore .	47	23	25.4	5	..	3	..	21	23.2	4	
Chidambaram .	39	35	46.7	2	..	2	1	11	14.7	2	
Coimbatore .	234	174	38.7	7	11	..	48	10.7	10	
Cuddalore .	74	56	39.4	1	3	3	..	24	16.9	8	
Dindigul .	90	44	25.4	3	4	4	1	23	13.3	3	
Erode .	67	101	78.4	1	..	1	..	15	11.6	2	
Gobichetty Palyan†														
Guddiyattam .	53	27	26.5	3	4	..	14	13.7	4	
Kancheepuram .	90	58	33.5	1	9	12	1	34	19.6	9	
Karaikudi .	44	25	29.5	1	..	1	..	7	8.3	3	
Karur .	50	7	7.3	1	4	4.2	1	
Kozhikode .	176	77	22.7	3	2	1	..	66	19.5	15	
Kumbakonam .	105	45	22.3	1	1	19	9.4	3	
Madras .	1,703	1,208	36.9	..	1	..	70	129	161	2	658	20.1	212	
Mangalore .	136	108	41.3	1	2	2	..	26	9.9	6	
Mathuraj .	427	345	42.0	6	13	30	1	123	15.0	42	
Mayuram .	49	32	34.0	1	1	1	..	12	12.7	3	
Malapalayam .	41	6	7.6	1	4	6	7.6	2	
Nagapattinam .	60	46	39.9	..	1	..	1	2	1	..	10	8.7	3	
Ootacamund .	48	34	36.8	2	4	..	11	11.9	5	
Palni .	40	14	18.2	1	4	1	12	15.6	2	
Palayamkottai .	45	27	31.2	2	2	1	..	16	18.5	3	
Palghat .	77	45	30.4	2	4	1	18	12.2	1	
Periyakulam .	34	12	18.4	2	5	7.6	..	
Pollachi .	51	32	32.6	1	2	..	13	13.3	3	
Pudukottai†														
Rajapalayam .	69	29	21.9	2	2	..	5	3.8	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—contd.														
Salem	241	170	36.7	..	I	..	7	5	11	I	65	14.0	7	
Srirangam	42	29	35.9	I	2	3	..	8	9.9	4	
Srivilliputtur†														
Tanjore	118	66	29.1	4	6	I	38	16.7	5	
Tellicherry	42	27	33.4	I	9	11.1	I	
Tiruvannamalai	45	35	40.4	..	I	..	2	I	2	..	13	15.0	5	
Tirunelveli	80	40	26.0	2	3	..	18	11.7	7	
Tiruppur	63	42	34.7	6	I	..	23	19.0	7	
Tiruchirappalli	251	108	22.4	I	11	5	..	51	10.6	9	
Tuticorin	111	74	34.7	..	I	..	3	7	15	..	52	24.4	13	
Vaniyambadi	43	8	9.7	I	I	I	8	9.7	4	
Vellore	124	107	44.9	6	10	I	41	17.2	10	
Villupuram	39	46	61.3	3	2	I	10	13.3	2	
Virudunagar	53	50	49.0	I	..	I	I	13	12.0	4	
TOTAL	5,201	3,473	34.7	—	5	..	120	244	316	14	1,570	15.7	428	
Orissa														
Berhampur	72	25	18.1	..	—	..	2	2	2	..	12	8.7	I	
Cuttack	117	124	55.3	—	7	12	5	..	53	23.6	6	
Puri†														
TOTAL	189	149	41.0	9	14	7	..	65	17.9	7	
Pondicherry														
Pondicherry	58	104	79.5		5	..	4	6	4	5	54	41.3	42	
Punjab (I)														
Ambala	65	47	37.8	7	3	I	..	15	12.1	3	
Amritsar	343	216	32.9	2	3	11	..	64	9.8	18	
Batala	62	28	23.6	2	2	3	..	14	11.8	8	
Bhiwani	57	50	45.9	—	4	I	2	..	10	9.2	I	
Ferozepore	45	33	38.3	2	2	I	..	6	7.0	4	
Hissar	39	30	40.2	8	I	I	..	13	17.4	8	
Hoshiarpur	51	24	24.6	3	I	I	..	13	13.3	3	
Jullundur	200	139	36.3	7	2	8	..	23	6.0	7	
Karnal	72	29	21.1	5	..	I	..	8	5.8	..	
Ludhiana	176	140	41.6	17	..	I	..	35	10.4	10	
Moga	41	25	31.9	2	..	2	..	7	8.9	2	
Panipat	64	20	16.3	2	I	2	..	7	5.7	2	
Pathankot	34	22	33.8	3	..	I	..	5	7.7	3	
Rewari	36	23	33.4	4	..	5	7.3	I	
Rohtak	105	58	28.9	7	I	10	5.0	5	
Simla	50	39	40.8	10	10.5	5	
Sonepat	34	32	49.2	5	5	7.7	..	
TOTAL	1,474	955	33.7	76	17	39	..	250	8.8	80	
Uttar Pradesh														
Agra	375	201	28.0	I	7	45	..	95	13.2	28	
Allahabad	349	141	21.1	5	I	34	I	70	10.5	20	
Amroha	61	46	39.4	7	I	19	16.3	5	
Bahraich	47	21	23.4	3	..	2	..	9	10.0	5	
Banaras	383	263	35.9	55	19	11	I	191	26.1	55	
Balla	35	7	10.4	I	6	9.0	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Uttar Pradesh—contd.													
Bijnor†													
Banda	32	19	31.0	1	3	..	7	11.4	6
Barilly	203	73	18.8	6	2	2	..	24	6.2	8
Budaun	54	35	33.9	7	7	2	1	..	28	27.1	6
Basti†													
Bulandshahr†													
Chandausi	41	50	63.4	5	1	4	..	23	29.2	11
Dehra Dun.	146	48	17.2	3	..	3	..	14	5.0	4
Etawah	64	70	57.2	13	1	3	..	26	21.2	9
Faizabad-Ayodhya	88	19	11.3	4	1	1	..	9	5.3	2
Farrukhabad-Fatehgarh	82	38	24.2	3	7	2	..	19	12.1	8
Ferozabad	79	48	31.8	3	12	7.9	4
Ghaziabad	46	27	30.7	6	9	10.2	1
Ghaziipur	36	20	29.0	5	1	1	..	13	18.9	2
Gorakhpur	140	60	22.4	6	6	1	..	22	8.2	4
Gonda	35	10	14.9	2	2	1	..	7	10.4	2
Hapur	49	32	34.1	6	1	1	..	11	11.7	2
Hardwar	64	28	22.9	8	9	3	..	30	24.5	8
Hathras	62	56	47.2	9	3	2	..	27	22.8	15
Jaunpur	56	20	18.7	3	1	5	..	13	12.1	1
Jhansi	116	112	50.5	20	3	35	15.8	15
Kanpur	734	439	31.3	114	17	45	6	296	21.1	92
Kaiganj†													
Khurja	41	16	20.4	1	1	1	..	5	6.4	1
Koil-Aligarh	150	80	27.9	12	42	22	7.7	4
Lucknow	494	236	25.0	26	18	16	2	114	12.1	32
Mathura	110	77	36.6	8	13	6.2	4
Mau-Nath Bhanjan†													
Meerut	185	79	22.3	8	..	4	..	20	5.6	7
Mirzapur Vindhyachal	97	35	18.9	12	5	1	..	25	13.5	6
Moradabad	164	90	28.7	7	5	10	..	35	11.1	13
Muzaffarnagar	74	20	14.1	5	7	4.9	2
Pilibhit	45	42	48.8	18	1	32	37.2	10
Rampur†													
Saharanpur	162	82	26.5	30	2	38	12.3	7
Sambhal	65	50	40.0	11	1	..	1	21	16.8	5
Shahjahanpur	99	46	24.1	14	3	25	13.1	9
Sitapur	49	20	21.2	1	6	6.4	3
TOTAL	5,112	2,756	28.0	7	448	124	202	11	1,378	14.0	416
West Bengal													
Asansol†													
Baldyabati†													
Bally	66	6	4.7	1	2	..	4	3.1	1
Bankura	50	15	15.6	2	1	4	4.1	..
Bansberia†													
Baranagar	90	42	24.4	1	2	5	22	12.8	5
Basirhatt†													
Berhampur	39	6	8.0	2	2.6	..
Bhadreswar	64	42	34.2	..	1	1	9	7.4	1
	34	10	15.4	1	3	4.6	1
Bhatpara	143	36	13.1	1	11	3	1	..	24	8.8	10
Budge Budge	32	12	19.4	3	..	1	..	6	9.8	..
Burdwan†	82	35	22.2	2	2	..	14	8.9	..
Calcutta	2,984	1,302	22.6	6	4	..	55	72	96	3	597	10.5	186
Chandani	41	9	11.4	1	..	5	6.4	..
Cooch Behar													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956—*contd.*

Town	Mid-year Popn.—Est. (000)	Deaths from:—											Total	D.R.*	I.D.
		B.	B. R *	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal—contd.															
Darjeeling†															
English Bazar . . .	36	19	27.6	1	1.5	..		
Garden Reach . . .	124	12	5.1	..	1	..	5	..	1	..	12	5.1	3		
Halisahar	41	2	2.6	2	2.6	..		
Hoogly-Chinsurah . .	60	47	41.0	3	2	2	..	18	15.7	5		
Howrah	477	143	15.7	3	2	..	9	25	38	..	143	15.7	53		
Jalpaiguri†															
Kamarhati†															
Kanchrapara . . .	74	11	7.9	1	0.7	..		
Krishnagar	56	1	0.9	1	0.9	..		
Midnapore	45	36	41.8	1	1	2	1	1	11	12.8	..		
Nabadwip	70	41	30.6	3	5	1	..	12	9.0	1		
Naihati	62	4	3.4	1	1	1	5	4.2	..		
North-Barrackpore . .	36	10	14.5	2	..	1	..	4	5.8	..		
Panihati	65	3	2.4	2	..	8	6.4	..		
Santipur	49	17	18.1	1	3	3.2	..		
Serampore	83	27	17.0	4	1	..	16	10.1	1		
Siliguri	44	18	21.4	2	2.4	..		
South Dum Dum . . .	83	2	1.3	1	..	1	0.6	..		
South Suburban . . .	124	9	3.8	1	6	3	..	15	6.3	9		
Titagarh	78	21	14.1	18	1	1	..	20	13.4	4		
TOTAL	5,232	1,938	19.3	15	8	..	116	131	155	4	965	9.6	280		

STATES—(Part B)

Hyderabad

Aurangabad†															
Bidar	37	12	16.8	3	..	1	..	4	5.6	1		
Gulbergat†															
Hyderabad City†															
Jalna †															
Kothagudiam . . .	71	30	22.8	2	1.5	..		
Latur	41	1	1.3		
Nanded	80	38	24.7	14	9.1	1		
Nizambad	67	16	12.4	3	2	5	3.9	..		
Parbhani	40	4	5.2	4	2	7	9.1	1		
Raichur†															
Secundrabad City . .	162	190	61.0	..	1	..	3	..	4	..	33	10.6	13		
Warangal	155	37	12.4	1	..	1	2	6	2.2	..		
TOTAL	653	328	26.1	..	1	..	14	4	6	2	71	5.7	16		

Jammu & Kashmir

"N.R."

Madhya Bharat

Greater Gwalior†															
Indore	368	120	17.0	17	3	9	2	78	11.0	33		
Ujjain	156	46	15.3	6	2	36	12.0	15		
Retlam†															
Mendseur	41	4	5.1	2	..	2	2.5	..		
TOTAL	565	170	15.6	23	5	11	2	116	10.7	48		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N. R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956—*contd.*

Town	Mld.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Mysore														
Chitaldrug	31	9	15·1	
Bangalore	977	563	30·0	9	42	88	..	253	13·5	..	
Mysore	294	174	30·8	..	—	..	8	7	2	..	51	9·0	..	
Kolar Gold Field	173	69	20·7	3	1	2	14	4·2	..	
Bellary	78	26	17·3	1	..	10	6·7	..	
Davangere	69	24	18·1	1	9	6·8	..	
Hospet	45	16	18·5	1	1	7	8·1	..	
Shimoga†														
TOTAL	1,667	881	27·5	19	53	92	2	344	10·7	..	
PEPSU														
Patlala City	111	26	12·2	12	1	1	..	26	12·2	13	
Malerkotla	34	28	42·8	1	2	3·1	..	
Bhatinda	39	27	36·0	1	1·3	..	
TOTAL	184	81	22·9	13	1	1	..	29	8·2	13	
Rajasthan														
Alwar †														
Bharatpur†														
Bikaner	117	30	13·3	—	3	2	5	..	15	6·7	1	
Churu	48	4	4·4	1	3	3·2	..	
Ganganagar	47	1	1·1	..	1	..	3	1	..	1	12	13·2	..	
Tonk	45	1	1·2	
Kotah	72	12	8·7	—	7	..	1	..	12	8·7	1	
Sikar†														
Jaipur†														
Udaipur†														
Jodhpur	200	60	15·6	3	..	2	..	9	2·3	8	
TOTAL	529	108	10·6	..	7	..	17	3	8	1	51	5·0	10	
Travancore-Cochin														
Alleppey	148	40	14·1	2	3	1	..	23	8·1	3	
Changanacherry	41	33	41·9	1	2	..	12	15·2	..	
Ernakulam	70	19	14·1	2	1	13	9·7	1	
Kottayam	50	41	42·6	2	2	2	..	16	16·6	2	
Mattanchery†														
Nagercoil	94	45	24·9	2	1	2	..	17	9·4	2	
Quilon	75	66	45·8	3	2	..	31	21·5	..	
Trichur	76	65	44·5	3	2	..	7	4·8	..	
Trivandrum City	218	126	30·1	7	4	5	..	46	11·0	2	
TOTAL	772	435	29·3	15	18	16	..	165	11·1	10	
Saurashtra														
Bhavnagar	157	67	22·2	6	6	2	..	30	9·9	10	
Dhoraji	47	34	37·6	1	..	3	..	10	11·1	..	
Gondal	41	21	26·6	1	1	2	..	6	7·6	1	
Jamnagar	122	10	4·3	7	2	6	..	23	9·8	7	
Junagadh	65	49	39·2	10	1	2	..	19	15·2	6	
Morvi	43	15	18·1	1	1	1·2	..	
Porbandar	64	14	11·4	13	2	..	1	22	17·9	8	
Rajkot	167	63	19·6	14	7	4	..	37	11·5	20	
Suratdranagar†														
Veraval	46	5	5·6	2	5	5·6	..	
TOTAL	752	278	19·2	55	19	19	1	153	10·6	52	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 21st July, 1956—*contd.*

Town	Mid-year Popn.-Est.	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
ARREAR RETURNS															
For w/e 7-7-56															
Assam															
Gauhati	51	13	13.3	3	3	..	6	12	12.2	2		
Dibrugarh	46	5	5.6	1	3	3.4	..		
Silchar	43	87	105.2	1	3	2	..	24	29.0	..		
Total	140	105	39.0	5	6	2	..	39	14.5	2		
For w/e 14-7-56															
Assam															
Gauhati	51	5	5.1	15	1	29	29.6	2		
Dibrugarh	46	2	2.3	2	2.3	..		
Silchar	43	19	22.9	1	1	1	..	6	7.5	2		
Total	140	26	9.7	16	2	1	..	37	13.7	4		
For w/e 30-6-56															
Bombay															
Thana	61	25	21.3	3	9	7.7	2		
For w/e 7-7-56															
Malegaon	63	56	46.2	8	..	1	..	11	9.1	2		
Bijapur	75	37	25.6	3	..	1	1	10	6.9	1		
Thana	61	22	18.8	1	2	1	..	10	8.5	3		
For w/e 14-7-56															
Broach	67	53	41.1	8	..	3	..	20	15.5	2		
Malegaon	63	39	32.2	2	..	2	..	5	4.1	2		
Thana	61	19	16.5	..	1	..	2	12	10.2	2		
For w/e 5-5-56															
Madhya Pradesh															
Chanda	43	30	36.3	9	..	1	..	23	27.8	4		
For w/e 30-6-56															
Itarsi	30	13	22.5	1	2	3.5	1		
Raigarh	35	5	7.4	3	4.5	1		
Khamgaon	42	49	60.7	4	1	10	12.4	..		
For w/e 7-7-56															
Nagpur	528	166	16.3	..	3	..	16	8	11	1	94	9.2	9		
Kamptee	36	17	24.6	5	7	10.1	..		
Itarsi	30	21	36.4	1	4	6.9	2		
For w/e 14-7-56															
Nagpur	528	184	18.1	..	7	..	24	6	13	1	110	10.8	8		
Kamptee	36	26	37.5	2	..	2	..	6	8.7	..		
Itarsi	30	18	31.2	1	2	6.9	2		
Sagar	75	53	36.7	6	..	1	..	11	7.6	..		
For w/e 14-7-56															
Travancore-Cochin															
Mattancherry	85	31	19.0	1	1	1	..	7	4.3	..		
For w/e 14-7-56															
Madhya Bharat															
For w/e 14-7-56															
Geater Gwalior	273	136	25.9	4	14	2.7	..		
Indore	368	140	19.8	11	6	6	1	76	10.7	32		
Ujjain	156	42	14.0	7	1	..	3	36	12.0	9		
Mandsaur	41	11	14.0	1	1.3	..		
For w/e 7-7-56															
Ratlam	73	24	17.1	3	2	11	7.8	..		
For w/e 2-6-56															
Punjab															
Simla	50	63	65.9	1	5	5.2	1		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Explanation of symbols used : — B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases, in towns with a population of 30,000 and over in India for the week ending the 21st July 1956—*concl'd.*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—									Total D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Pondicherry															
For w/e 9-6-56															
Pondicherry . . .	68	100	76.5	..	24	..	4	6	11	2	62	47.4	36		
For w/e 16-6-56															
Pondicherry . . .	68	106	81.1	..	37	..	3	7	4	5	65	49.7	47		
For w/e 23-6-56															
Pondicherry . . .	68	93	71.1	..	22	..	2	5	6	5	79	60.4	58		
For w/e 30-6-56															
Pondicherry . . .	68	93	71.1	..	22	..	4	6	6	3	46	35.2	29		
For w/e 7-7-56															
Pondicherry . . .	68	81	61.9	..	15	..	3	4	6	5	76	58.1	56		
For w/e 14-7-56															
Pondicherry . . .	68	76	58.1	..	8	..	5	3	8	2	45	34.4	33		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 21st July, 1956, relate to 260 towns with an estimated population of 36,311 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 82% of the total number of towns representing 87% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,779 and 8,119 representing birth and death rates of 26.9 and 11.6 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 216 towns with an estimated population of 31,189 thousands. The total number of towns is 253 and their population is 33,500 thousands. Thus 85% of the total number of towns representing 93% of the total population is covered. The number of births and

deaths recorded in these towns were 16,498 and 7,190 representing birth rates and death rates of 27.5 and 12.0 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 44 towns with an estimated population of 5,122 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 68% of the total number of towns representing 63% of the total population is covered. The number of births and deaths recorded in these towns were 2,281 and 929 representing birth and death rates of 23.2 and 9.4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

*Pondicherry town has been included.

States	Current w/e 21-7-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . .	17.9	6.1	†	†	34.3	10.7
Andhra . .	28.0	11.2	37.2	12.9	†	†
Bihar . .	17.9	8.2	16.0	9.9	12.2	7.1
Bombay . .	28.1	12.5	33.6	14.0	31.2	15.5
Delhi . .	29.7	7.4	34.9	8.9	38.2	10.2
Madhya Pradesh .	25.8	10.2	30.8	9.8	33.5	16.1
Madras . .	34.7	15.7	43.2	17.5	†	†
Orissa . .	41.0	17.9	53.1	22.4	48.3	22.7
Punjab (I) . .	33.7	8.8	40.9	10.9	35.4	10.0
Uttar Pradesh . .	28.0	14.0	33.2	14.1	33.8	17.2
West Bengal . .	19.3	9.6	20.1	10.2	19.4	11.9
India* . .	27.5	12.0	32.6	13.2	33.1	16.2

* 9 Part "A" States and 2 Part "C" States.

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 13th August 1956. }

K. MITRA,
for Registrar General, India.